

व्यावसायिक परीक्षण रिपोर्ट  
COMMERCIAL TEST REPORT

संख्या/ No.: COMP-197/2600/2020  
माह/Month : November, 2020

**THIS TEST REPORT VALID UP TO : 30<sup>th</sup> NOVEMBER, 2027**



**HARINDRA SUPER SMS, FITTED ON AS-SHAKTIMAN-930,  
SELF- PROPELLED COMBINE HARVESTER**



भारत सरकार

Government of India

कृषि एवं किसान कल्याण मंत्रालय

Ministry of Agriculture and Farmers Welfare

कृषि, सहकारिता एवं किसान कल्याण विभाग

Department of Agriculture, Cooperation and Farmers Welfare

उत्तरी क्षेत्र कृषि मशीनरी प्रशिक्षण एवं परीक्षण संस्थान

Northern Region Farm Machinery Training and Testing Institute

ट्रैक्टर नगर, सिरसा रोड, हिसार, (हरियाणा) - 125 001

Tractor Nagar, Sirsa Road, HISAR (Haryana)-125 001

[ISO 9001:2015 CERTIFIED]

Website: <http://nrfmtti.gov.in/>

E-mail: [fmti-nr@nic.in](mailto:fmti-nr@nic.in)

Tele./FAX: 01662-276984

**4. ROTOR BALANCING TEST**

Date of test	:	18.11.2020
Make and model of Rotor balancing machine	:	PROTEQ and H - 1 K
Mass of the job ( kg)	:	55.42
Service speed of the job rpm	:	1772
ISO balancing grade	:	G 16
Balancing speed rpm	:	1772

S.No.	Particulars	As permissible	As observed	Remark
	Unbalance weight(Left side plane) (g)	44.12	7.71	Balanced
	Unbalance weight (Right side plane) (g)	44.12	41.3	Balanced

Unbalance angle (Left side plane) (degree)	326.52
Unbalance angle (Right side plane) (degree)	232.81

**5. FIELD TEST**

- 5.1** The SMS fitted on AS-Shaktiman- 930 combine harvester was operation in the paddy field for 5 hrs, to assess (a) performance of SMS and, (b) performance of combine harvester with SMS.

The crop parameters recorded during the test were as under:-

**Crop Parameters**

Sl. No.	Parameters	Observations
1.	Average plant height, cm	125 to 130
2.	Average number of tillers/m <sup>2</sup>	273 to 280
3.	Average length of ear head, cm	25 to 30
4.	Average straw/grain ratio	1.3
5.	Average moisture, %	
	- Grain	13.4
	- Straw	67.1

The results of field performance test of Paddy crop harvesting are summarised in Table - 5 and presented in detail in Appendix – II to V.

Table- 5 : SUMMARY OF LOSSES & EFFICIENCIES OBSERVED DURING FIELD  
PERFORMANCE TEST.

Crop variety	Collectable losses (%)	Non-collectable losses (%)	Total processing losses (%)	Threshing efficiency (%)	Cleaning efficiency (%)	Grain breakage in main grain tank (%)	Forward speed (kmph)	Area covered (ha/h)	Fuel consumption		Grain output (kg/h)	Crop throughput (t/h)
									(l/h)	(l/ha)		
1	2	3	4	5	6	7	8	9	10	11	12	13
<b>PADDY</b>												
NDR 359	1.8	0.3	2.0	99.2	97.0	1.01	1.67	0.466	10.12	21.72	3502.79	8.02

**SUMMARY OF FIELD PERFORMANCE OF SMS**

Uniformity of straw spread, CV, (percent)	17.4
Weighted mean size of chopped straw, cm	12.6

**6. DEFECTS, ADJUSTMENTS, BREAKDOWNS AND REPAIRS**

No noticeable defect observed

**7. SUMMARY OF OBSERVATIONS****7.1 Field test**

<b>7.1.1 Performance of SMS with AS-Shaktiman-930 Combine Harvester</b>		
1	Uniformity of straw spread, CV, (percent)	17.4
2	Weighted mean size of chopped straw, cm	12.6

**7.1.2 Performance of AS-Shaktiman-930 Combine harvester with Harindra Super SMS**

S. No	Parameters	Observations
1.	Range of average speed of operation (kmph)	1.67
2.	Range of average area covered (ha/h)	0.466
3.	Maximum average fuel consumption: - (l/h) - (l/ha)	10.12 21.72
4.	Crop throughput (tonne/h)	8.02
5.	Grain breakage in main grain outlet (%)	1.01
6.	Header losses (%)	0.15
7.	Total non-collectable losses (%)	0.3
8.	Total collectable losses (%) (un threshed + broken from main outlet)	1.8
9.	Total processing losses (%)	2.0
10.	Threshing efficiency (%)	99.2
11.	Cleaning efficiency (%)	97.0

**9. CRITICAL TECHNICAL SPECIFICATIONS**

Deferred till 31.12.2020 vide Ministry O.M. No 13-13/2020 M&T, (I&P) dated 24.04.2020

**10. COMMENTS AND RECOMMENDATIONS**



- 10.1 Field performance test**  
No noticeable defect observed during field test.
- 10.2** Applicant has recommended AS-Shaktiman-930 combine harvester for SMS field testing. This is vital information and therefore the same must be inscribed in labelling plate also for the guidance of users.
- 10.3** In the labelling plate manufacture has declared the weight of SMS as 295 kg, which is misleading. The actual weight was observed as 210 kg. It may be looked into.
- 10.4 Ease of operation and safety provision**  
No noticeable difficulties observed during field test.
- 10.5** The labelling plate **MUST** be riveted on the machine with following information.
- 1) Name and address of manufacture.
  - 2) Country of origin
  - 3) Make
  - 4) Model
  - 5) Year of manufacture
  - 6) Serial Number
  - 7) Type
  - 8) Size
  - 9) Required size of prime mover (kW)
  - 10) Weight of the machine (kgs)
  - 11) Make and Model of Combine Harvester
- 10.6** Material of SMS blade is not specified. It should be specified.



**10.7 Literature supplied with the machine**

One technical booklet "without any title on it" was provided with SMS during testing. The same need to be revised, upgraded and updated as per IS: 8132-1999.

**TESTING AUTHORITY**

SANJAY KUMAR AGRICULTURAL ENGINEER	
P. K. PANDEY DIRECTOR	

Draft test report compiled by C. Veeranjanyulu, Sr. Technician

**11. APPLICANT'S COMMENTS**

No comments received from the applicant

