व्यावसायिक परीक्षण रिपोर्ट COMMERCIAL TEST REPORT

संख्या/ No.: COMP-199/2602/2020 माह/Month: November, 2020

THIS TEST REPORT VALID UP TO : 30th NOVEMBER, 2027



S7 SUPER SMS, FITTED ON VISHAL -435 BRISK, SELF- PROPELLED COMBINE HARVESTER



भारत सरकार

Government of India कृषि एवं किसान कल्याण मंत्रालय

Ministry of Agriculture and Farmers Welfare

कृषि, सहकारिता एवं किसान कल्याण विभाग

Department of Agriculture, Cooperation and Farmers Welfare उत्तरी क्षेत्र कृषि मशीनरी प्रशिक्षण एवं परीक्षण संस्थान

Northern Region Farm Machinery Training and Testing Institute

ट्रैक्टर नगर, सिरसा रोड, हिसार, (हरियाणा) - 125 001

Tractor Nagar, Sirsa Road, HISAR (Haryana)-125 001 [ISO 9001:2015 CERTIFIED]

Website: http://nrfmtti.gov.in/

E-mail: fmti-nr@nic.in

Tele./FAX: 01662-276984

Page 1 of 23

S7 SUPER SMS, FITTED ON VISHAL -435 BRISK, SELF- PROPELLED COMBINE HARVESTER (COMMERCIAL)

4. ROTOR BALANCNING TEST

Date of test	:	17.11.2020
Make and model of Rotor balancing machine	:	PROTEQ and H - 1 K
Mass of the job (kg)		87.8
Service speed of the job rpm		1880
ISO balancing grade	1	G 16
Balancing speed rpm		1880

S.No.	Particulars	As permissible	As observed	Remark
1201	Unbalance weight(Left side plane) (g)	42.49	7.64	Balanced
	Unbalance weight (Right side plane) (g)	42.49	114.88	Unbalanced

Unbalance angle (Left side plane) (degree)	359.99	Statistical VI - Vietopation
Unbalance angle (Right side plane)	169.57	
(degree)		

5. FIELD TEST

5.1 The SMS fitted on Vishal-435 Brisk combine harvester was operation in the paddy field for 5 hrs, to assess (a) performance of SMS and, (b) performance of combine harvester with SMS.

The crop parameters recorded during the test were as under:-Crop Parameters

Sl. Parameters		Observations
No.		1 Stratilities of the strategic and the strategi
1. Average plant height, cm	:	120 to 125
2. Average number of tillers/m ²	:	283 to 309
3. Average length of ear head, cm	: 11	27 to 29
4. Average straw/grain ratio	: 15-97	1.9
5. Average moisture, %		The second secon
- Grain		13.3
- Straw	:	67.3

The results of field performance test of Paddy crop harvesting are summarised in Table - 5 and presented in detail in <u>Appendix - II to V.</u>

COMP-199/2602/2020

S7 SUPER SMS, FITTED ON VISHAL -435 BRISK, SELF- PROPELLED COMBINE HARVESTER (COMMERCIAL)

Table- 5 : SUMMARY OF LOSSES & EFFICIENCIES OBSERVED DURING FIELD PERFORMANCE TEST.

Crop variety	Collec table losses (%)	Non- collect able losses (%)	Total proces sing losses (%)	Thre shing effici ency (%)	Cleaning efficienc y (%)	Grain breaka ge in main grain	Forw ard speed (kmph)	Area covered (ha/h)	Fuel	nption	Grain out put (kg/h)	Crop throu gh- put
				(1.5)	D 1	tank (%)		sfort Potes	(l/h)	(l/ha)		(t/h)
1	2	3	4	5	6	7	8	9	10	11	12	13
						PADDY						1.0
Pusa 44	1.2	0.3	1.4	99.4	97.1	0.66	1.72	0.437	12.37	28.30	3956.61	11.52

SUMMARY OF FIELD PERFORMANCE OF SMS

Uniformity of straw spread, CV, (percent)	19.4
Weighted mean size of chopped straw, cm	14.0

6. DEFECTS, ADJUSTMENTS, BREAKDOWNS AND REPAIRS

No noticeable defect observed

7. SUMMARY OF OBSERVATIONS

7.1 Field test

7.1.1	Performance of SMS with Vishal-435 Brisk Combine Harvester				
1	Uniformity of straw spread, CV, (percent)	19.4			
	Weighted mean size of chopped straw, cm				
	weighted mean size of chopped straw, cm	14.			

7.1.2 Performance of Vishal-435 Brisk Combine harvester with S7 Super SMS

S. No	Parameters	Observations		
1.	Range of average speed of operation (kmph)	1.72		
2.	Range of average area covered (ha/h)	0.437		
3,	Maximum average fuel consumption: - (l/h) - (l/ha)	12.37 28.30		
4.	Crop throughput (tonne/h)	11.52		
5.	Grain breakage in main grain outlet (%)	0.66		
6.	Header losses (%)	0.12		
7.	Total non-collectable losses (%)	0.3		
8.	Total collectable losses (%) (un threshed + broken from main outlet)	1.2		
9.	Total processing losses (%)	1.4		
10.	Threshing efficiency (%)	99.4		
11.	Cleaning efficiency (%)	97.1		

13 of 23

NORTHERN REGION FARM MACHINERY TRAINING & TESTING INSTITUTE, HISAR [THIS REPORT VALID UP TO: 30th November 2027]

S7 SUPER SMS, FITTED ON VISHAL -435 BRISK, SELF- PROPELLED COMBINE HARVESTER (COMMERCIAL)

9. CRITICAL TECHNICAL SPECIFICATIONS

Deferred till 31.12.2020 vide Ministry O.M. No 13-13/2020 M&T, (I&P) dated 24.04.2020

10. COMMENTS AND RECOMMENDATIONS

- 10.1 Field performance test

 No noticeable defect observed during field test.
- 10.2 Applicant has recommended Vishal-435 Brisk combine harvester for SMS field testing. This is vital information and therefore the same must be inscribed in labelling plate also for the guidance of users.
- 10.3 Ease of operation and safety provision

 No noticeable difficulties observed during field test.
- 10.4 The SMS rotor is unbalanced. It MUST be looked into for corrective action.
- 10.5 Material of SMS blades and bushes for flail blades is not specified. It MUST be specified.
- 10.6 The labelling plate MUST be provided on the machine with following information.
 - 1) Name and address of manufacture.
 - 2) Country of origin
 - 3) Make
 - 4) Model
 - 5) Year of manufacture
 - 6) Serial Number
 - 7) Type
 - 8) Size
 - 9) Required size of prime mover (kW)
 - 10) Weight of the machine (kgs)
 - 11) Make and Model of Combine Harvester
- 10.7 The hardness of flail & fixed blade does not conform. It should be looked into.



COMP-199/2602/2020

S7 SUPER SMS, FITTED ON VISHAL -435 BRISK, SELF- PROPELLED COMBINE HARVESTER (COMMERCIAL)

10.8 Literature supplied with the machine

No technical literature provided by the applicant during the test.

The following literature therefore, MUST be provided as per IS:8132-1999 for guidance of users

- I) Operator Manual
- II) Service Manual
- III) Part's Catalogue

TESTING AUTHORITY

SANJAY KUMAR AGRICULTURAL ENGINEER	S/mmag.
P. K. PANDEY DIRECTOR	43n-mosh
andrik religious plant before at TWA. It follows in Seniet lish all sati	

Draft test report compiled by C. Veeranjaneyulu, Sr. Technician

11. APPLICANT'S COMMENTS

No comments received from the applicant.

