व्यावसायिक परीक्षण रिपोर्ट COMMERCIAL TEST REPORT

संख्या/ No.: COMP-200/2603/2020 माह/Month: November, 2020

THIS TEST REPORT VALID UP TO : 30th NOVEMBER, 2027



G.S MANJIT SUPER SMS, FITTED ON MALKIT 997, SELF- PROPELLED COMBINE HARVESTER



भारत सरकार

Government of India
कृषि एवं किसान कल्याण मंत्रालय
Ministry of Agriculture and Farmers Welfare
कृषि, सहकारिता एवं किसान कल्याण विभाग

Department of Agriculture, Cooperation and Farmers Welfare उत्तरी क्षेत्र कृषि मशीनरी प्रशिक्षण एवं परीक्षण संस्थान
Northern Region Farm Machinery Training and Testing Institute
ट्रैक्टर नगर, सिरसा रोड, हिसार, (हरियाणा) - 125 001

Tractor Nagar, Sirsa Road, HISAR (Haryana)-125 001 [ISO 9001:2015 CERTIFIED]

Website: http://nrfmtti.gov.in/

E-mail: fmti-nr@nic.in

Tele./FAX: 01662-276984

Page 1 of 23

G.S MANJIT SUPER SMS, FITTED ON MALKIT 997, SELF- PROPELLED COMBINE HARVESTER (COMMERCIAL)

4. ROTOR BALANCNING TEST

Date of test	: 13.11.2020	
Make and model of Rotor balancing machine	: PROTEQ and I	H - 1 K
Mass of the job (kg)	: 83.68	8
Service speed of the job rpm	: 1890	· · · · · · · · · · · · · · · · · · ·
ISO balancing grade	: G 16	
Balancing speed rpm	: 1890	

S.No.	Particulars	As permissible	As observed	Remark
	Unbalance weight(Left	40.28	11.98	Balanced
	side plane) (g)			
	Unbalance weight	40.28	17.66	Balanced
	(Right side plane) (g)			

	Unbalance angle (Left side plane) (degree)	153.93
	Unbalance angle (Right side plane)	196.42
=	(degree)	

5. FIELD TEST

5.1 The SMS fitted on Malkit-997 combine harvester was operation in the paddy field for 6 hrs, to assess (a) performance of SMS and, (b) performance of combine harvester with SMS.

The crop parameters recorded during the test were as under:-

Crop Parameters

Sl.	Parameters		Observations	
No.				
1.	Average plant height, cm	:	92 to 101	
2.	Average number of tillers/m ²	:	272 to 299	
3.	Average length of ear head, cm	:	21 to 23	550.000 IS 1000 IS 100
4.	Average straw/grain ratio	:	1.0	
5.	Average moisture, %		A	
ii	- Grain	:	13.7	
	- Straw	:	65.2	æ.

The results of field performance test of Paddy crop harvesting are summarised in Table - 5 and presented in detail in **Appendix – II to V.**



COMP-200/2603/2020

G.S MANJIT SUPER SMS, FITTED ON MALKIT 997, SELF- PROPELLED COMBINE HARVESTER (COMMERCIAL)

Table- 5: SUMMARY OF LOSSES & EFFICIENCIES OBSERVED DURING FIELD PERFORMANCE TEST.

Crop variety	Collec table losses	Non- collect able	Total proces sing	Thre shing effici	Cleaning efficienc y (%)	Grain breaka ge in	Forw ard speed	Area covered (ha/h)	Fuel consum	ption	Grain out put (kg/h)	Crop throu gh-
	(%)	losses (%)	losses (%)	ency (%)		main grain tank (%)	(kmph)		(l/h)	(l/ha)		put (t/h)
1	2	3	4	5	6	7	8	9	10	11	12	13
	1					PADDY						
PR-27									740			

SUMMARY OF FIELD PERFORMANCE OF SMS

Uniformity of straw spread, CV, (percent)	16.8
Weighted mean size of chopped straw, cm	11.6

6. DEFECTS, ADJUSTMENTS, BREAKDOWNS AND REPAIRS

No noticeable defect observed

7. SUMMARY OF OBSERVATIONS

7.1 Field test

7.1.1	Performance of SMS with Malkit-997 Combine Harvester				
1	Uniformity of straw spread, CV, (percent)	16.8			
2	Weighted mean size of chopped straw, cm	14.6			

7.1.2 Performance of Malkit-997 Combine harvester with GS Manjit Super SMS

S. No	Parameters	Observations
1.	Range of average speed of operation (kmph)	1.72
2.	Range of average area covered (ha/h)	0.485
3.	Maximum average fuel consumption:	
	- (l/h)	9.04
	- (l/ha)	18.64
4.	Crop throughput (tonne/h)	7.22
5.	Grain breakage in main grain outlet (%)	1.13
6.	Header losses (%)	0.17
7.	Total non-collectable losses (%)	0.7
8.	Total collectable losses (%) (un threshed +	2.0
	broken from main outlet)	1-57 6
9.	Total processing losses (%)	2.5
10.	Threshing efficiency (%)	99.1
11.	Cleaning efficiency (%)	96.4

NORTHERN REGION FARM MACHINERY TRAINING & TESTING INSTITUTE, HISAR
[THIS REPORT VALID UP TO: 30th November 2027]

9. CRITICAL TECHNICAL SPECIFICATIONS

Deferred till 31.12.2020 vide Ministry O.M. No 13-13/2020 M&T, (I&P) dated 24.04.2020

10. COMMENTS AND RECOMMENDATIONS

10.1 Field performance test

No noticeable defect observed during field test.

- Applicant has recommended Malkit-997 combine harvester for SMS field testing. This is vital information and therefore the same must be inscribed in labelling plate also for the guidance of users.
- 10.3 Ease of operation and safety provision

No noticeable difficulties observed during field test.

- 10.4 The labelling plate **MUST** be riveted on the machine with following information.
 - 1) Name and address of manufacture.
 - 2) Country of origin
 - 3) Make
 - 4) Model
 - 5) Year of manufacture
 - 6) Serial Number
 - 7) Type
 - 8) Size
 - 9) Required size of prime mover (kW)
 - 10) Weight of the machine (kgs)
 - 11) Make and Model of Combine Harvester



COMP-200/2603/2020

G.S MANJIT SUPER SMS, FITTED ON MALKIT 997. SELF- PROPELLED COMBINE HARVESTER (COMMERCIAL)

10.5 Literature supplied with the machine

No technical literature provided by the applicant during the test.

The following literature therefore, MUST be provided as per IS:8132-1999 for guidance of users

- I) Operator Manual
- II) Service Manual
- III) Part's Catalogue

TESTING AUTHORITY

SANJAY KUMAR AGRICULTURAL ENGINEER	Shimay
P. K. PANDEY DIRECTOR	U3n-mosh

Draft test report compiled by C. Veeranjaneyulu, Sr. Technician

11. **APPLICANT'S COMMENTS**

Para No.	Our reference	Applicant Comments
11.1	10.4	The labelling plate with the given information will be written.
11.2	10.5	The technical literature will be provided by as per guidance.

